

## AMENDMENTS

### *In the Claims*

The following is a marked-up version of the claims with the language that is underlined (“\_\_\_”) being added and the language that contains strikethrough (“—”) being deleted:

1. (Currently Amended) A method for controlling the presentation of a hierarchical arrangement of items in a window of a graphical user interface, at least one of the items having one or more related sub-items, the method comprising:

displaying the one or more of the related sub-items of one of the items in response to ~~at least one of~~:

moving of a cursor over the one of the items and actuating an input button of a mouse input device as the cursor is located over the one of the items; and actuating a virtual button associated with the one of the items;  
[[and]]

determining when the cursor is moved over the one of the items; and  
in response thereto, displaying a first preview window comprising the one or more related sub-items.

2. (Original) The method of claim 1, wherein the cursor is manipulated by a mouse.
3. – 4. (Canceled).

5. (Original) The method of claim 1, further comprising the steps of:  
determining when the cursor is moved over one of the related sub-items in the first preview window; and  
if the one of the related sub-items has one or more related second-level sub-items, displaying a second preview window comprising the one or more related second-level sub-items.
6. (Original) The method of claim 5, wherein at least a portion of the second preview window is displayed over at least a portion of the first preview window.
7. (Original) The method of claim 5, wherein one or more of the related sub-items has one or more related second-level sub-items; and  
further comprising the step of:  
displaying a second preview window comprising the one or more related sub-items.
8. (Currently Amended) A system for controlling the presentation of a hierarchical arrangement of items in a window of a graphical user interface, at least one of the items having one or more related sub-items, the system comprising:  
logic configured to:  
display the one or more of the related sub-items of one of the items in response to ~~at least one of~~:  
moving of a cursor over the one of the items and actuating an input button of a mouse input device as the cursor is located over the one of the

items[:,]) , and actuating a virtual button associated with the one of the items;  
[[and]]  
determine when a cursor is moved over one of the items; and  
in response thereto, display a first preview window comprising the one or  
more related sub-items;  
a memory comprising an application supporting a graphical user interface and in  
which the logic is stored;  
a display device configured to support the graphical user interface;  
a cursor manipulation device configured to cooperate with the application and for  
manipulating the cursor with respect to the graphical user interface; and  
a processing device configured to implement the logic and the application.

9. (Original) The system of claim 8, wherein the logic is embodied in an operating system and initiated by the application.
10. (Original) The system of claim 8, wherein the cursor manipulation device is a mouse.
11. (Original) The system of claim 8, wherein each of the items comprises a text object and a button.
12. (Original) The system of claim 8, wherein the logic is further configured to:  
determine when the cursor is moved over one of the related sub-items in the first  
preview window; and  
if the one of the related sub-items has one or more related second-level sub-items,  
display a second preview window comprising the one or more related second-level sub-items.

13. (Original) The system of claim 12, wherein at least a portion of the second preview window is displayed over at least a portion of the first preview window.

14. (Original) The system of claim 12, wherein one or more of the related sub-items has one or more related second-level sub-items and the logic is further configured to display a second preview window comprising the one or more related sub-items.

15. – 20. (Canceled).

21. (New) A method for controlling the presentation of a hierarchical arrangement of items in a tree-view control window of a graphical user interface, at least one of the items having a related sub-item, the method comprising:

displaying the related sub-item of the one of the items of the tree-view control window in response to:

1) actuating an input button of a mouse input device as a cursor is located over the one of the items; and

2) actuating a virtual button associated with the one of the items;

the method further comprising:

displaying a first preview window comprising the related sub-item in response to determining that the cursor is located over the one of the items.

22. (New) The method of claim 21, wherein each item having sub-items comprises a virtual button, the actuation of which causes the sub-items to be alternately displayed and hidden from view.